



达辰设备
DACHEN

精益求精 缔造非凡
Keep improving Create extraordinary

软管包装设备专家

Soft tube packaging expert

广州达辰设备制造有限公司

Guangzhou Dachen Equipment Manufacturing Co.,Ltd.



公司介绍

广州达辰设备制造有限公司，是一家专注于软管包装行业自动化设备的设计、开发和制造的创新型生产企业。公司自成立以来，凭借丰富的经验和过硬的技术，锐意进取，开拓创新，已成为软管包装行业内领先的自动化设备制造商。

“达辰”以客户的需求为导向，为客户提供定制化的设备和解决方案。公司坚持对产品的改进和创新，本着“以创新求发展”的务实理念，积极寻求国内外业务伙伴，在平等互惠的基础上，实现长期合作、与客户共赢。

经营理念：精益求精，追求卓越；诚信经营，合作共赢

Company profile

Dachen is a creative company specialized in the designing, development and manufacturing of automatic equipment in soft tube packaging business, which is widely used in the cosmetic, food, pharmacy industry among others.

Insisting on the philosophy of developing by innovation, Dachen could provide both customized equipment and tailored engineering service solutions with increased automation and greater efficiency, which would bring our customers a lower overall cost per unit resulting in profitability.

At Dachen, we are not only focused on the supply of machines, but also on building long-term cooperation with our customers.

主营产品

高速注头锁盖一体机

9工位高速注头机

翻转注头机

对位注头机器人

贴标打孔机

烫金机

多功能锁盖机

双支四合一锁盖机

单支灌装封尾机

双支灌装封尾机

全伺服多色丝印机

全伺服异形瓶类丝印机

全自动超声波焊盖机

全自动理管理瓶机

品质完检机

子母管灌装封尾机

打孔切管机

Product Catalog

High speed injection head locking and capping machine

9-station high-speed head injection machine

Overturning injection head machine

Alignment head injection robot

Labeling punch

Bronzing machine

Multifunctional cover locking machine

Double four in one cover locking machine

Single filling and sealing machine

Double branch filling and sealing machine

Full servo multicolor screen printing machine

Full servo special-shaped bottle screen printing machine

Full automatic ultrasonic cap welding machine

Full automatic bottle management machine

Quality inspection machine

Filling and sealing machine for sub main pipe

Punching and pipe cutting machine

High speed injection head locking and capping machine

GUANGZHOU DACHEN EQUIPMENT
MANUFACTURING CO.,LTD.

Equipment description

Efficient production, labor saving
and process reduction Complete
the injection head film locking
cover at one time



Technical parameter

Voltage: 380V / 50Hz

Power: 18.6kw

Production efficiency: 120 PCS/min

Producible pipe diameter: $\Phi 16-50\text{mm}$

Producible pipe length: 40-230mm



Mobile phone: 13556185033 13650802251

Email: ZRX5168@163.COM

Website: <http://www.dcpackequip.com>

Enterprise official account: dachene equipment

Address: No. 13, Dengtang Industrial Park, Guangcong 10th Road,
Zhongluotan Town, Baiyun District, Guangzhou


9 STATION HIGH SPEED INJECTION HEAD



GUANGZHOU DACHEN EQUIPMENT
MANUFACTURING CO.,LTD.

Equipment description

High speed injection head machine
Comparable to imported machines
Production line (large order)



Technical parameter

Voltage: 380V / 50Hz

Power: 17.8kw

Production efficiency: 60-80 PCS/min

Producible pipe diameter: $\Phi 16-50\text{mm}$

Producible pipe length: 40-230mm



Mobile phone: 13556185033 13650802251

Email: ZRX5168@163.COM

Website: <http://www.dcpackequip.com>

Enterprise official account: dachene equipment


Address: No. 13, Dengtang Industrial Park, Guangcong 10th Road,
Zhongluotan Town, Baiyun District, Guangzhou

OVERTURNING INJECTION HEAD MACHINE

GUANGZHOU DACHEN EQUIPMENT
MANUFACTURING CO.,LTD.

Equipment description

The hot runner process is stable
Beautiful products



Technical parameter

Voltage: 380V / 50Hz

Power: 14.6kw

Production efficiency: 60-70 PCS/min

Producible pipe diameter: $\Phi 16-50\text{mm}$

Producible pipe length: 40-230mm




Mobile phone: 13556185033 13650802251
Email: ZRX5168@163.COM
Website: <http://www.dcpackequip.com>
Enterprise official account: dachene equipment
Address: No. 13, Dengtang Industrial Park, Guangcong 10th Road,
Zhongluotan Town, Baiyun District, Guangzhou

ALIGNMENT HEAD INJECTION ROBOT

GUANGZHOU DACHEN EQUIPMENT
MANUFACTURING CO.,LTD.

Equipment description

Save labor, can produce positioning
ultra flat tube, round tube.
Mold development cost is low!



Technical parameter

Voltage: 380V / 50Hz

Power: 3.6kw

Production efficiency: 60-80 PCS/min

Producible pipe diameter: $\Phi 13-60\text{mm}$

Producible pipe length: 40-230mm




Mobile phone: 13556185033 13650802251
Email: ZRX5168@163.COM
Website: <http://www.dcpackequip.com>
Enterprise official account: dachene equipment
Address: No. 13, Dengtang Industrial Park, Guangcong 10th Road,
Zhongluotan Town, Baiyun District, Guangzhou

LABELING PUNCH

GUANGZHOU DACHEN EQUIPMENT
MANUFACTURING CO.,LTD.

Equipment description

High-precision, Anti theft label
of cover tube can be attached



Technical parameter

Voltage: 220V / 50Hz

Power: 1.8kw

Production efficiency: 50-60 PCS/min

Producible pipe diameter: 13-60mm

Producible pipe length: 40-230mm



Mobile phone: 13556185033 13650802251
Email: ZRX5168@163.COM
Website: <http://www.dcpackequip.com>
Enterprise official account: dachene equipment
Address: No. 13, Dengtang Industrial Park, Guangcong 10th Road,
Zhongluotan Town, Baiyun District, Guangzhou



**GUANGZHOU DACHEN EQUIPMENT
MANUFACTURING CO.,LTD.**

Repeated gilding with high accuracy
Full version set position
gilding is accurate



Voltage: 220V / 50Hz

Power: 1.8kw

Production efficiency: 50-60 PCS/min

Producible pipe diameter:13-60mm

Producible pipe length: 40-230mm



Mobile phone: 13556185033 13650802251
Email: ZRX5168@163.COM
Website: <http://www.dcpackequip.com>
Enterprise official account: dachene equipment
Address: No. 13, Dengtang Industrial Park, Guangcong 10th Road,
Zhongluotan Town, Baiyun District, Guangzhou

MULTIFUNCTIONAL COVER LOCKING MACHINE

GUANGZHOU DACHEN EQUIPMENT
MANUFACTURING CO.,LTD.

Equipment description

Can be customized according
to cover type and function
Make the order more stable



Technical parameter

Voltage: 220V / 50Hz

Power: 4.1kw

Production efficiency: 60-80 PCS/min

Producible pipe diameter: $\Phi 16-60\text{mm}$

Producible pipe length: 40-230mm



Mobile phone: 13556185033 13650802251
Email: ZRX5168@163.COM
Website: <http://www.dcpackequip.com>
Enterprise official account: dachene equipment
Address: No. 13, Dengtang Industrial Park, Guangcong 10th Road,
Zhongluotan Town, Baiyun District, Guangzhou





达辰设备
DACHEN

DOUBLE FOUR IN ONE COVER LOCKING MACHINE

GUANGZHOU DACHEN EQUIPMENT
MANUFACTURING CO.,LTD.

Equipment description

There are advantages in
large orders
Cost effective
Online production



Technical parameter

Voltage: 220V/50Hz

Power: 4.6KW

Production efficiency: 120-140PCS/min

Producible pipe diameter: $\Phi 16-60\text{mm}$

Producible pipe length: 40-230mm



Mobile phone: 13556185033 13650802251

Email: ZRX5168@163.COM

Website: <http://www.dcpackequip.com>

Enterprise official account: dachene equipment

Address: No. 13, Dengtang Industrial Park, Guangcong 10th Road,
Zhongluotan Town, Baiyun District, Guangzhou




达辰设备
DACHEN

SINGLE FILLING AND SEALING MACHINE

GUANGZHOU DACHEN EQUIPMENT
MANUFACTURING CO.,LTD.

Equipment description

High filling accuracy
It can produce round
and oval
PE pipes and
aluminum-plastic pipes
Various tail sealing
shapes



Technical parameter

Voltage: 220V/50Hz

Power: 5.3kw

Production efficiency: 50-60 PCS/min

Filling capacity: 1ml-350ml

Filling accuracy: 1ml-20mlplus or minus 0.03

25-350ml±0.5

Producible pipe diameter: Φ16-60mm

Producible pipe length: 40-230mm



Mobile phone: 13556185033 13650802251

Email: ZRX5168@163.COM

Website: <http://www.dcpackequip.com>

Enterprise official account: dachene equipment

Address: No. 13, Dengtang Industrial Park, Guangcong 10th Road,
Zhongluotan Town, Baiyun District, Guangzhou




达辰设备
DACHEN

DOUBLE BRANCH ILLING AND SEALING MACHINE

GUANGZHOU DACHEN EQUIPMENT
MANUFACTURING CO.,LTD.

Equipment description

There are advantages in large orders
Cost effective
Online production



Technical parameter

Voltage: 220V/50Hz

Power: 7.6kw

Production efficiency: 100-120PCS/min

Filling capacity: 1ml-350ml

Filling accuracy: 1ml-20ml+0.03 25-350ml+0.5

Producible pipe diameter: $\Phi 16-60\text{mm}$

Producible pipe length: 40-230mm



Mobile phone: 13556185033 13650802251

Email: ZRX5168@163.COM

Website: <http://www.dcpackequip.com>

Enterprise official account: dachene equipment

Address: No. 13, Dengtang Industrial Park, Guangcong 10th Road,
Zhongluotan Town, Baiyun District, Guangzhou




达辰设备
DACHEN

FULL SERVO MULTICOLOR SCREEN PRINTING MACHINE

GUANGZHOU DACHEN EQUIPMENT
MANUFACTURING CO.,LTD.

Equipment description

Full plate positioning
accuracy
Independent glazing,
high efficiency
Optional LED or mercury



Technical parameter

Voltage: 380V / 50Hz

Power: 28kw

Production efficiency: 60 pcs/min

Multi color + glazing

Producible pipe diameter: $\Phi 16-60\text{mm}$

Producible pipe length: 40-230mm



Mobile phone: 13556185033 13650802251

Email: ZRX5168@163.COM

Website: <http://www.dcpackequip.com>

Enterprise official account: dachene equipment

Address: No. 13, Dengtang Industrial Park, Guangcong 10th Road,
Zhongluotan Town, Baiyun District, Guangzhou


FULL SERVO SPECIAL-SHAPED BOTTLE SCREEN PRINTING MACHINE



GUANGZHOU DACHEN EQUIPMENT
MANUFACTURING CO.,LTD.

Equipment description

PET bottle, glass bottle curved
surface, cone screen printing,
accurate and efficient positioning



Technical parameter

Voltage: 380V/50Hz

Power: 43kw

Production efficiency: 60pcs/min

Multi color+glazing

Curved corner printing

Producible pipe diameter: $\Phi 16-100\text{mm}$

Producible pipe length: 40-300mm



Mobile phone: 13556185033 13650802251

Email: ZRX5168@163.COM

Website: <http://www.dcpackequip.com>

Enterprise official account: dachene equipment


Address: No. 13, Dengtang Industrial Park, Guangcong 10th Road,
Zhongluotan Town, Baiyun District, Guangzhou

FULL AUTOMATIC ULTRASONIC CAP WELDING MACHINE

GUANGZHOU DACHEN EQUIPMENT
MANUFACTURING CO.,LTD.

Equipment description

Save labor, avoid welding cap injury
Greatly improve production efficiency



Technical parameter

Voltage: 220V/50Hz

Power: 6.6kw

Production efficiency: 45-60PCS/min

Producible cover diameter: $\Phi 16-60\text{mm}$




Mobile phone: 13556185033 13650802251
Email: ZRX5168@163.COM
Website: <http://www.dcpackequip.com>
Enterprise official account: dachene equipment
Address: No. 13, Dengtang Industrial Park, Guangcong 10th Road,
Zhongluotan Town, Baiyun District, Guangzhou

FULL AUTOMATIC BOTTLE MANAGEM ENT MACHINE

GUANGZHOU DACHEN EQUIPMENT
MANUFACTURING CO.,LTD.

Equipment description

Save labor, automatic pipe arrangement and automatic bottle feeding, greatly improve production efficiency



Technical parameter

Voltage: 220V/50Hz

Power: 1.5kw

Production efficiency: 60-120PCS/min

Diameter of producible tube: $\Phi 16-100\text{mm}$

Length of producible tube and bottle:

40-300mm



Mobile phone: 13556185033 13650802251

Email: ZRX5168@163.COM

Website: <http://www.dcpackequip.com>

Enterprise official account: dachene equipment


Address: No. 13, Dengtang Industrial Park, Guangcong 10th Road,
Zhongluotan Town, Baiyun District, Guangzhou

QUALITY INSPECTION MACHINE

GUANGZHOU DACHEN EQUIPMENT
MANUFACTURING CO.,LTD.

Equipment description

Save a large number of inspection personnel, accurately detect scratches, color marks, stains, color differences and other defects. Greatly improve shipping efficiency



Technical parameter

Voltage: 220V/50Hz

Power: 1.5kw

Production efficiency: 60pcs/min

Good product delivery

Appearance process defect (outgoing pipe)

Stain defect outlet pipe

Producible pipe diameter: $\Phi 16-100\text{mm}$



Mobile phone: 13556185033 13650802251

Email: ZRX5168@163.COM

Website: <http://www.dcpackequip.com>

Enterprise official account: dachene equipment

Address: No. 13, Dengtang Industrial Park, Guangcong 10th Road,
Zhongluotan Town, Baiyun District, Guangzhou

FILLING AND SEALING MACHINE FOR SUB MAIN PIPE

GUANGZHOU DACHEN EQUIPMENT
MANUFACTURING CO.,LTD.

Equipment description

Accurate filling
Tail shape can be customized
No specific length shadow of inner and
outer tubes



Technical parameter

Voltage: 220V/50Hz

Power: 2.3KW

Production efficiency: 16-32 PCS/min

Filling capacity: 1ml-350ml

Filling accuracy:

1ml-20ml plus or minus 0.03

25-350ml±0.5

Producible pipe diameter: Ø16-60mm

Producible pipe length: 40-230mm



Mobile phone: 13556185033 13650802251

Email: ZRX5168@163.COM

Website: <http://www.dcpackequip.com>

Enterprise official account: dachene equipment


Address: No. 13, Dengtang Industrial Park, Guangcong 10th Road,
Zhongluotan Town, Baiyun District, Guangzhou

PUNCHING AND PIPE CUTTING MACHINE

GUANGZHOU DACHEN EQUIPMENT
MANUFACTURING CO.,LTD.

Equipment description

Positioning and secondary pipe cutting, accurate length, used for the shoulder of colored injection head, uniform R angle, beautiful and firm.



Technical parameter

Voltage: 220V/50Hz

Power: 1.5kw

Production efficiency: 60-80 PCS/min

Pipe cutting length error: ≤ 0.1

Flatness error difference of pipe cutting: $\leq 0.1\text{mm}$

Producible pipe diameter: $\Phi 16-100\text{mm}$

Producible pipe length: 40-300mm



Mobile phone: 13556185033 13650802251

Email: ZRX5168@163.COM

Website: <http://www.dcpackequip.com>

Enterprise official account: dachene equipment


Address: No. 13, Dengtang Industrial Park, Guangcong 10th Road,
Zhongluotan Town, Baiyun District, Guangzhou

Leak detection machine

Leak testing for seal integrity.



Pipe coil leak
testing for
seal integrity.



Technical parameter

Voltage	220V/50HZ
Power	2.8KW
Production efficiency	50-60PCS/min
Producible pipe diameter	Ø 16-60mm
Producible pipe length	Ø 40-230mm



Mobile phone: 13556185033 13650802251

Email: ZRX5168@163.COM


Website: <http://www.dcpackequip.com>

Enterprise official account: dachene equipment

Address: No. 13, Dengtang Industrial Park, Guangcong 10th Road,
Zhongluotan Town, Baiyun District, Guangzhou

Vertical dual support multifunctional assembly lock cover machine

GUANGZHOU DACHEN EQUIPMENT
MANUFACTURING CO.,LTD.



Technical parameter

Voltage	380V/50HZ
Power	29.5KW
Production efficiency	100-120PCS/min
Producible pipe diameter	Ø16-100mm
Producible pipe length	Ø40-230mm



Mobile phone: 13556185033 13650802251



Email: ZRX5168@163.COM

Website: <http://www.dcpackequip.com>

Enterprise official account: dachene equipment

Address: No. 13, Dengtang Industrial Park, Guangcong 10th Road,
Zhongluotan Town, Baiyun District, Guangzhou

Packing machine



Technical parameter

Voltage	220V/50/60HZ
Power	6KW
Production efficiency	60-120PCS/min
Producible pipe diameter	Ø 16-60mm
Producible pipe length	Ø40-230mm




Mobile phone: 13556185033 13650802251
Email: ZRX5168@163.COM
Website: <http://www.dcpackequip.com>
Enterprise official account: dachene equipment
Address: No. 13, Dengtang Industrial Park, Guangcong 10th Road,
Zhongluotan Town, Baiyun District, Guangzhou



**GUANGZHOU DACHEN
EQUIPMENT MANUFACTURING CO.,LTD**



Hose five layer extrusion machine

软管五层挤出机



Hose sheet pulling machine

软管片材拉管机



Mobile phone(手机): +86 13556185033

Email(邮箱): ZRX5168@163.com

Address: NO.13,Dengtang Industrial Park,Guangcong
10th Road,Zhongluotan Town,Baiyun District,Guangzhou

地址: 广州市白云区钟落潭镇广从十路登塘工业园13号



WhatsApp①



WhatsApp②




WeChat



**GUANGZHOU DACHEN
EQUIPMENT MANUFACTURING CO.,LTD**

Counterpoint Shoulder Injection Machine

对位注肩机器人



Shoulder injection mold

注肩模具



Mobile phone(手机): +86 13556185033

Email(邮箱): ZRX5168@163.com

Address: NO.13,Dengtang Industrial Park,Guangcong
10th Road,Zhongluotan Town,Baiyun District,Guangzhou

地址: 广州市白云区钟落潭镇广从十路登塘工业园13号



WhatsApp①



WhatsApp②




WeChat



**GUANGZHOU DACHEN
EQUIPMENT MANUFACTURING CO.,LTD**

Hose six color offset printing machine

软管六色胶印机



Mobile phone(手机): +86 13556185033

Email(邮箱): ZRX5168@163.com

Address: NO.13,Dengtang Industrial Park,Guangcong
10th Road,Zhongluotan Town,Baiyun District,Guangzhou

地址: 广州市白云区钟落潭镇广从十路登塘工业园13号



WhatsApp①



WhatsApp②



WeChat



企业公众号 : dachenequipment

手机 : 13556185033 13650802251

邮箱 : ZRX5168@163.COM

网站 : <http://www.dcpackequip.com>

地址 : 广州市白云区钟落潭镇广从十路登塘工业园13号

Tel:13556185033 13650802251

Email : ZRX5168@163.COM

<http://www.dcpackequip.com>

Address: No. 13, Dengtang Industrial Park, Guangcong
10th Road, Zhongluotan Town, Baiyun District, Guangzhou